



KIRLOSKAR BROTHERS LTD.



COMMON FEATURES: HIGHLY EFFICIENT/BALANCED ROTATING PARTS/CED

COATED FOR RUST FREE OPERATION.SUITABLE FOR 4" TO 8" BORE WITH WIDE VOTAGE FLUCTUATION, HIGH HEAD PER STAGE,USED IN INDUSTRY FOR WATER CIRCULATION/ IRRIGATION/ GARDENING

MATERIAL OF CONSTRUCTION: IMPELLER/DIFFUSER/DIFFUSER CASING/SHAFT: SS & NRV/DICHARGE OUTLET/SUCTION HOUSING:CI FOR **HH TYPE** , IMPELLER:BRONZE & MOTOR CASING/PUMP SHAFT:SS FOR **KS TYPE** , PUMP HOUSING /SHAFT/DISCHARGE NOZZLE/STAGE BOWL/STRAINER:SS & IMPELLER/ DIFFUSER: NORYL FOR **KU-4** TYPE BOREWELL SUBMERSIBLE PUMP. THE DETAIL FLOW AT DIFFERENT HEAD CONDITIONS ARE GIVEN BELOW.

6" BORE WELL SUBMERSIBLE HH PUMP FLOW & HEAD DETAILS

Aproximate performance at rated voltage,50 Hz,Three phase A.C. power supply

60HH Series		PIPE SIZE:50MM											
MODEL	KW/HP	Rated Current (Amps)	DISCHARGE IN LITRE PER MINUTE										
			60	80	100	140	160	180	200	220	240	260	
TOTAL HEAD IN METRES													
60HH 304	2.2/3.0	6.3	61.6	58.4	55.2	49.6	44.0	37.6	29.6	24.0	16.0	5.6	
60HH 305	2.2/3.0	6.3	77.0	73.0	69.0	62.0	55.0	47.0	37.0	30.0	20.0	7.0	
60HH 407	3.0/4.0	7.9	106.0	102.0	96.0	94.0	77.0	66.0	52.0	42.0	28.0	9.0	
60HH 508	3.7/5.0	9.3	122.0	117.0	111.0	107.0	88.0	76.0	60.0	48.0	32.0	10.0	
60HH 609	4.5/6.0	11.8	137.3	131.6	124.9	120.4	99.0	85.5	67.5	54.0	36.0	11.3	
60HH 610	4.5/6.0	11.8	154.0	147.0	139.0	134.0	110.0	95.0	75.0	60.0	40.0	12.0	
60HH 811	5.5/7.5	14.5	169.4	161.7	152.9	147.4	121.0	104.5	82.5	66.0	44.0	13.2	
60HH 812	5.5/7.5	14.5	185.0	176.0	166.0	160.0	132.0	123.0	89.0	72.0	48.0	15.0	
60HH 1013	7.5/10.0	18.0	200.4	190.7	179.8	173.3	143.0	144.1	96.4	78.0	52.0	16.3	
60HH 1016	7.5/10.0	18.0	247.0	235.0	221.0	214.0	176.0	152.0	119.0	96.0	64.0	19.0	
60HH 1319	9.3/12.5	22.5	290.0	277.0	262.0	254.0	209.0	178.0	140.0	114.0	76.0	25.0	
60HH 1524	11.0/15.0	26.0	370.0	352.0	333.0	320.0	264.0	226.0	179.0	144.0	96.0	30.0	
60HH 1829	13.0/17.5	32.5	447.0	425.0	402.0	387.0	319.0	273.0	216.0	174.0	116.0	36.0	
80HH Series		PIPE SIZE:50MM											
MODEL	KW/HP	Current (Amps)	DISCHARGE IN LITRE PER MINUTE										
			90	105	125	145	165	185	205	225	245	265	285
TOTAL HEAD IN METRES													
80HH 304	2.2/3.0	6.3	62.0	59.0	56.0	52.0	49.0	45.0	39.0	33.0	25.0	18.0	7.0
80HH 405	3.0/4.0	7.9	78.0	74.0	70.0	65.0	61.0	56.0	49.0	41.0	31.0	23.0	9.0
80HH 506	3.7/5.0	9.3	93.0	89.0	84.0	78.0	74.0	68.0	59.0	50.0	38.0	27.0	11.0
80HH 607	4.5/6.0	11.8	109.0	103.0	98.0	91.0	86.0	79.0	68.0	58.0	44.0	32.0	12.0
80HH 810	5.5/7.5	14.5	155.0	148.0	140.0	130.0	123.0	113.0	98.0	83.0	63.0	45.0	18.0
80HH 1012	7.5/10.0	18.0	186.0	177.0	168.0	156.0	147.0	135.0	117.0	99.0	75.0	54.0	21.0
80HH 1315	9.3/12.5	22.5	233.0	221.0	210.0	195.0	184.0	169.0	146.0	124.0	94.0	68.0	26.0
80HH 1518	11.0/15.0	26.0	279.0	266.0	252.0	234.0	221.0	203.0	176.0	149.0	113.0	81.0	32.0
80HH 1821	13.0/17.5	32.5	326.0	310.0	294.0	273.0	257.0	236.0	205.0	173.0	131.0	95.0	37.0
80HH 2024	15.0/20.0	36.5	372.0	354.0	336.0	312.0	294.0	270.0	234.0	198.0	150.0	108.0	42.0
100HH Series		PIPE SIZE:50MM											
MODEL	KW/HP	Current (Amps)	DISCHARGE IN LITRE PER MINUTE										
			100	125	155	180	205	230	255	280	305	330	
TOTAL HEAD IN METRES													

Authorised Distributor Perfect Industrial Services

34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)

Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207

E-mail: info@perfectindustrial.com, www.perfectindustrial.com



KIRLOSKAR BROTHERS LTD.

100HH 303	2.2/3.0	6.3	45.0	42.0	40.0	38.0	33.0	30.0	22.0	17.0	7.0	3.0	
100HH 404	3.0/4.0	7.9	60.0	56.0	53.0	51.0	44.0	40.0	29.0	23.0	9.0	4.0	
100HH 505	3.7/5.0	9.3	75.0	70.0	67.0	63.0	55.0	50.0	37.0	28.0	12.0	5.0	
100HH 606	4.5/6.0	11.8	90.0	84.0	80.0	76.0	66.0	60.0	44.0	34.0	14.0	6.0	
100HH 808	5.5/7.5	14.5	120.0	112.0	107.0	101.0	88.0	80.0	59.0	45.0	19.0	8.0	
100HH 1010	7.5/10.0	18.0	150.0	140.0	133.0	127.0	110.0	100.0	73.0	57.0	23.0	10.0	
100HH 1312	9.3/12.5	22.5	180.0	168.0	160.0	152.0	132.0	120.0	88.0	68.0	28.0	12.0	
100HH 1515	11.0/15.0	26.0	225.0	210.0	200.0	190.0	165.0	150.0	110.0	85.0	35.0	15.0	
100HH 1818	13.0/17.5	32.5	270.0	252.0	240.0	228.0	198.0	180.0	132.0	102.0	42.0	18.0	
100HH 2020	15.0/20.0	36.5	300.0	280.0	267.0	253.0	220.0	200.0	147.0	113.0	47.0	20.0	
125HH Series			PIPE SIZE:50MM										
MODEL	KW/HP	Current (Amps)	150	180	210	240	270	300	330	360	390	420	450
			TOTAL HEAD IN METRES										
125HH 403	3.0/4.0	7.9	48.0	45.0	44.0	42.0	42.0	39.0	36.0	34.0	28.0	24.0	18.0
125HH 504	3.7/5.0	9.3	64.0	60.0	59.0	56.0	56.0	52.0	48.0	45.0	37.0	32.0	24.0
125HH 605	4.5/6.0	11.8	80.0	75.0	73.0	70.0	70.0	65.0	60.0	57.0	47.0	40.0	30.0
125HH 806	5.5/7.5	14.5	96.0	90.0	88.0	84.0	84.0	78.0	72.0	68.0	56.0	48.0	36.0
125HH 1008	7.5/10.0	18.0	128.0	120.0	117.0	112.0	112.0	104.0	96.0	91.0	75.0	64.0	48.0
125HH 1310	9.3/12.5	22.5	160.0	150.0	147.0	140.0	140.0	130.0	120.0	113.0	93.0	80.0	60.0
125HH 1512	11.0/15.0	26.0	192.0	180.0	176.0	168.0	168.0	156.0	144.0	136.0	112.0	96.0	72.0
125HH 1814	13.0/17.5	32.5	224.0	210.0	205.0	196.0	196.0	182.0	168.0	159.0	131.0	112.0	84.0
125HH 2016	15.0/20.0	36.5	256.0	240.0	235.0	224.0	224.0	208.0	192.0	181.0	149.0	128.0	96.0
150HH Series			PIPE SIZE:50MM										
MODEL	KW/HP	Current (Amps)	190	230	270	310	350	390	430	470	510	550	
			TOTAL HEAD IN METRES										
150HH 302	2.2/3.0	6.3	30.0	29.0	26.0	25.0	23.0	20.0	17.0	13.0	10.0	1.0	
150HH 503	3.7/5.0	9.3	45.0	44.0	39.0	38.0	35.0	30.0	26.0	20.0	15.0	2.0	
150HH 604	4.5/6.0	11.8	60.0	58.0	52.0	50.0	46.0	40.0	34.0	26.0	20.0	2.0	
150HH 805	5.5/7.5	14.5	75.0	73.0	65.0	63.0	58.0	50.0	43.0	33.0	25.0	3.0	
150HH 1006	7.5/10.0	18.0	90.0	87.0	78.0	75.0	69.0	60.0	51.0	39.0	30.0	3.0	
150HH 1007	7.5/10.0	18.0	105.0	102.0	91.0	88.0	81.0	70.0	60.0	46.0	35.0	4.0	
150HH 1308	9.3/12.5	22.5	120.0	116.0	104.0	100.0	92.0	80.0	68.0	52.0	40.0	4.0	
150HH 1510	11.0/15.0	26.0	150.0	145.0	130.0	125.0	115.0	100.0	85.0	65.0	50.0	5.0	
150HH 1812	13.0/17.5	32.5	180.0	174.0	156.0	150.0	138.0	120.0	102.0	78.0	60.0	6.0	
150HH 2013	15.0/20.0	36.5	196.0	189.0	171.0	165.0	143.0	130.0	110.0	78.0	58.0	26.0	
200HH Series			PIPE SIZE:65MM										
MODEL	KW/HP	Current (Amps)	265	320	375	450	470	520	600	660	700	740	
			TOTAL HEAD IN METRES										
200HH 402	3.0/4.0	7.9	31.0	29.0	27.0	24.0	21.0	19.0	14.0	10.0	5.0	2.0	
200HH 603	4.5/6.0	11.8	47.0	44.0	41.0	36.0	32.0	29.0	21.0	15.0	8.0	3.0	
200HH 804	5.5/7.5	14.5	62.0	58.0	54.0	48.0	42.0	38.0	28.0	20.0	10.0	4.0	
200HH 1005	7.5/10.0	18.0	78.0	73.0	68.0	60.0	53.0	48.0	35.0	25.0	13.0	5.0	
200HH 1306	9.3/12.5	22.5	93.0	87.0	81.0	72.0	63.0	57.0	42.0	30.0	15.0	6.0	
200HH 1508	11.0/15.0	26.0	124.0	116.0	108.0	96.0	84.0	76.0	56.0	40.0	20.0	8.0	
200HH 1809	13.0/17.5	32.5	140.0	131.0	122.0	108.0	95.0	86.0	63.0	45.0	23.0	9.0	
200HH 2010	15.0/20.0	36.5	155.0	145.0	135.0	120.0	105.0	95.0	70.0	50.0	25.0	10.0	

6" /7"/8" BORE WELL SUBMERSIBLE KS PUMP FLOW & HEAD DETAILS

SERIES KS6A		PIPE SIZE:50MM						SERIES KS6D		PIPE SIZE:65MM						
MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS						MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS						
		1	2	2.7	3	4				2	4	6	7	8	10	11.5
		TOTAL HEAD IN METRES								TOTAL HEAD IN METRES						

Authorised Distributor Perfect Industrial Services
34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)
Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207
E-mail: info@perfectindustrial.com, www.perfectindustrial.com



KIRLOSKAR BROTHERS LTD.

KS6A0307	3.0/2.2	55	49	41	36	14				KS6D0302	3/2.2	21	20	19	18	16	11	6				
KS6A0410	4.0/3.0	78	69	58	50	20				KS6D0504	5.0/3.7	43	42	38	36	33	23	12				
KS6A0512	5.0/3.7	94	84	69	60	24				KS6D0605	6.0/4.5	54	53	49	45	41	29	16				
KS6A0614	6.0/4.5	114	100	85	74	31				KS6D0806	7.5/5.5	66	64	59	56	51	37	20				
KS6A0818	7.5/5.5	146	129	110	98	40				KS6D1008	10.0/7.5	89	86	80	75	68	48	28				
KS6A1024	10.0/7.5	195	172	147	131	53				KS6D1310	12.5/9.3	112	108	101	94	87	63	36				
SERIES KS6B										PIPE SIZE:50MM	KS6D1512	15.0/11.0	133	128	120	111	102	73	43			
		DISCHARGE IN LITRE PER SECONDS										KS6D1814	17.5/13.0	155	151	140	131	120	86	48		
		1	2	2.7	3	4	4.5				KS6D2016	20.0/15.0	177	172	160	150	137	98	55			
MODEL	HP/KW	TOTAL HEAD IN METRES										SERIES KS6E								PIPE SIZE:65MM		
KS6B0305	3/2.2	47	42	37	35	20	10													DISCHARGE IN LITRE PER SECONDS		
KS6B0306	3/2.2	58	52	45	41	24	11													2 3 4 5 6 7 8		
KS6B0508	5.0/3.7	76	69	60	54	31	15			MODEL	HP/KW	TOTAL HEAD IN METRES										
KS6B0509	5.0/3.7	55	77	68	61	35	17			KS6E0504	5.0/3.7	44	41	38	34	29	21	9				
KS6B0510	5.0/3.7	95	86	75	68	39	19			KS6E0505	5.0/3.7	55	52	40	43	36	26	11				
KS6B0511	5.0/3.7	104	94	83	75	42	20			KS6E0606	6.0/4.5	68	64	59	54	45	32	13				
KS6B0612	6.0/4.5	118	107	94	86	52	27			KS6E0807	7.5/5.5	80	75	70	63	54	42	21				
KS6B0813	7.5/5.5	128	116	100	93	56	31			KS6E0808	7.5/5.5	91	86	80	72	62	46	21				
KS6B0814	7.5/5.5	138	124	108	99	59	32			KS6E1010	10.0/7.5	117	110	102	92	78	58	30				
KS6B0815	7.5/5.5	148	134	118	108	65	36			KS6E1313	12.5/9.3	154	145	134	121	104	79	42				
KS6B1016	10.0/7.5	160	146	128	118	71	39			KS6E1515	15.0/11.0	178	168	156	142	121	91	47				
KS6B1020	10.0/7.5	200	183	160	148	93	52			KS6E1818	18.0/17.5	212	201	186	169	143	106	58				
KS6B1324	12.5/9.3	238	219	195	180	118	72			KS6E2020	20.0/15.0	236	221	205	187	158	122	64				
KS6B1528	15.0/11.0	286	256	225	208	130	80			SERIES KS6F										PIPE SIZE:80MM		
KS6B1530	15.0/11.0	306	274	241	223	140	86													DISCHARGE IN LITRE PER SECONDS		
SERIES KS6C																				4 6 8 10 12 14 16 18		
		DISCHARGE IN LITRE PER SECONDS										MODEL	HP/KW	TOTAL HEAD IN METRES								
		2	3	4	5	6	7	8	8.5		KS6F0302	3/2.2	20	18	16	14	11	9	7	5		
MODEL	HP/KW	TOTAL HEAD IN METRES										KS6F0503	5.0/3.7	30	27	24	21	18	14	11	6	
KS6C0404	4.0/3.0	39	37	34	31	26	20	13	9	KS6F0604	6.0/4.5	39	36	32	29	24	20	15	9			
KS6C0504	5.0/3.7	39	37	34	31	26	20	13	9	KS6F0804	7.5/5.5	41	38	34	31	26	21	16	11			
KS6C0505	5.0/3.7	49	46	43	38	32	25	17	12	KS6F1006	10.0/7.5	63	57	51	45	38	33	24	16			
KS6C0606	6.0/4.5	61	58	53	48	41	33	23	17	KS6F1308	12.5/9.3	85	78	70	61	53	44	34	24			
KS6C0807	7.5/5.5	72	68	63	56	49	39	27	20	KS6F1509	15.0/11.0	96	88	79	70	60	49	38	27			
KS6C1009	10.0/7.5	94	89	82	74	63	50	35	26	KS6F1811	18.0/17.5	118	108	91	86	73	61	46	32			
KS6C1010	10.0/7.5	104	98	91	83	73	60	43	32	KS6F2013	20.0/15.0	139	127	114	101	86	70	54	37			
KS6C1312	12.5/9.3	126	119	110	100	87	70	49	38													
KS6C1515	15.0/11.0	157	148	137	122	105	86	60	46													
KS6C1817	17.5/13.0	178	169	155	139	120	97	68	53													

Authorised Distributor Perfect Industrial Services
34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)
Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207
E-mail: info@perfectindustrial.com, www.perfectindustrial.com



KIRLOSKAR BROTHERS LTD.

KS6C2020	20.0/15.0	210	198	182	164	142	114	80	61
----------	-----------	-----	-----	-----	-----	-----	-----	----	----

SERIES KS6G		PIPE SIZE:100MM							SERIES KS8A		PIPE SIZE:100MM								
MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS							MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								
		4	8	12	14	16	20				5	10	15	20	22.5	25	27.5	30	
		TOTAL HEAD IN METRES									TOTAL HEAD IN METRES								
KS6G0502	5.0/3.7	22	19	17	15	13	7		KS8A0602	6.0/4.5	24	22	20	17	14	11			
KS6G0603	6.0/4.5	35	31	26	24	21	12		KS8A0801	7.5/5.5	23	22	21	19	18	16	14	11	
KS6G0804	7.5/5.5	47	40	35	32	28	16		KS8A1002	10.0/7.5	35	33	30	26	24	21	18	14	
KS6G1005	10.0/7.5	60	62	45	41	36	21		KS8A1003	10.0/7.5	36	34	30	25	22	17	10		
KS6G1306	12.5/9.3	72	63	54	49	43	25		KS8A1302	12.5/9.3	41	39	36	32	29	26	22	16	
KS6G1507	15.0/11.0	85	74	64	58	51	30		KS8A1502	15.0/11.0	46	44	42	38	35	31	26	21	
KS6G1808	18.0/17.5	96	84	72	66	58	35		KS8A1803	18.0/17.5	53	50	46	40	36	31	25	18	
KS6G2009	20.0/15.0	108	95	82	74	65	38		KS8A2003	20.0/15.0	59	57	53	47	43	38	31	24	
SERIES KS7A		PIPE SIZE:100MM							SERIES KS8A		PIPE SIZE:100MM								
MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS							MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								
		6	10	14	20	24	28				70	66	60	52	48	42	36	28	
		TOTAL HEAD IN METRES									TOTAL HEAD IN METRES								
KS7A0401	5.0/3.7	15	13	12	10	8	5		KS8A2004	20.0/15.0	70	66	60	52	48	42	36	28	
KS7A0802	6.0/4.5	30	26	24	20	16	10		KS8A2504	25.0/18.5	83	79	71	61	55	46	36	26	
KS7A0803	7.5/5.5	40	35	32	27	21	13		KS8A3004	30.0/22.0	94	88	82	72	65	58	48	37	
KS7A1003	10.0/7.5	45	39	36	30	24	15		KS8A3505	35/27.5	118	110	102	90	82	73	61	48	
KS7A1304	12.5/9.3	56	49	45	38	30	19		SERIES KS8B		PIPE SIZE:125MM								
KS7A1505	15.0/11.0	71	61	56	47	38	24		MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								
KS7A1806	18.0/17.5	85	73	65	56	45	28				6	10	15	20	25	30	35	40	
KS7A2007	20.0/15.0	99	86	79	66	53	33				TOTAL HEAD IN METRES								
KS7A0401	5.0/3.7	15	13	12	10	8	5		KS8B1002	10.0/7.5	30	27	24	21	18	14	9		
KS7A0802	6.0/4.5	30	26	24	20	16	10		KS8B1302	12.5/9.3	38	36	33	29	25	21	17	12	
KS7A0803	7.5/5.5	40	35	32	27	21	13		KS8B1502	15.0/11.0	40	38	36	34	31	28	24	19	
KS7A1003	10.0/7.5	45	39	36	30	24	15		KS8B1802	18.0/17.5	42	41	38	35	32	29	26	23	
KS7A1304	12.5/9.3	56	49	45	38	30	19		SERIES KS8B		PIPE SIZE:125MM								
KS7A1505	15.0/11.0	71	61	56	47	38	24		KS8B2003	20.0/15.0	57	54	49	44	38	31.5	25	17	
KS7A1806	18.0/17.5	85	73	65	56	45	28		MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								
KS7A2007	20.0/15.0	99	86	79	66	53	33				4	8	12	16	20	24	28		
TOTAL HEAD IN METRES							TOTAL HEAD IN METRES												
KS7P0602	6.0/4.5	25	23	19	18	16	13	7	3	KS8B2502	25.0/18.5	53	51	48	45	42	39	35	30
KS7P0802	7.5/5.5	28	26	24	22	18	15	13	3	KS8B3503	35/27.5	76	74	71	66	61	56	51	45
KS7P0803	7.5/5.5	31	27	25	23	19	16	8	3	KS8B4504	45.0/33.0	99	97	93	86	80	73	67	59
KS7P1003	10.0/7.5	40	37	34	30	25	21	15	3	KS8B4505	45.0/33.0	105	101	95	88	80	73	65	56
KS7P1004	10.0/7.5	40	36	34	31	27	23	13	3	SERIES KS8P		PIPE SIZE:100MM							
SERIES KS7P		PIPE SIZE:100MM							SERIES KS8P		PIPE SIZE:100MM								
MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS							MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								
		4	8	12	16	20	24	28			4	8	12	16	20	24	28	36	
		TOTAL HEAD IN METRES									TOTAL HEAD IN METRES								

Authorised Distributor Perfect Industrial Services
34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)
Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207
E-mail: info@perfectindustrial.com, www.perfectindustrial.com



KIRLOSKAR BROTHERS LTD.

SERIES KS8P		PIPE SIZE:100MM								KS8P1304	12.5/9.3	55	50	46	42	37	30	22	13	
MODEL	HP/KW	DISCHARGE IN LITRE PER SECONDS								TOTAL HEAD IN METRES	KS8P1502	15.0/11.0	40	39	37	35	34	31	26	10
		4	8	12	16	20	24	28	36											
		TOTAL HEAD IN METRES																		
KS8P0601	6.0/4.5	19	19	17	17	15	13	11	5	KS8P1504	15.0/11.0	56	52	48	44	38	32	22	14	
KS8P0801	6.0/4.5	20	19	19	18	17	16	13	7	KS8P1803	18.0/17.5	57	56	51	50	45	39	33	8	
KS8P0802	7.5/5.5	28	26	24	22	19	16	11		KS8P1804	18.0/17.5	68	63	59	53	48	42	33	20	
KS8P1002	10.0/7.5	37	34	32	30	26	23	18	6	KS8P2003	20.0/15.0	62	59	56	53	50	45	40	12	
KS8P1003	10.0/7.5	42	39	36	32	29	24	17		KS8P2004	20.0/15.0	74	68	63	59	52	46	36	24	
KS8P1302	12.5/9.3	38	37	34	33	30	26	22	9	KS8P2503	25.0/18.5	64	61	59	56	53	49	43	18	
KS8P1303	12.5/9.3	42	39	37	34	31	23	15	4	KS8P2504	25.0/18.5	76	74	68	66	60	52	44	15	
										KS8P2505	25.0/18.5	93	85	79	74	65	58	45	33	

4" BOREWELL SUBMERSIBLE KU-4 PUMPS FLOW HEAD DETAILS

WINNER 03		PIPE SIZE:32MM							
MODEL	HP/KW	DISCHARGE IN LITRE PER MINUIT							
		10	15	20	25	30	35	45	TOTAL HEAD IN METRES
		TOTAL HEAD IN METRES							
KU4-0307 S/T	0.50/0.37	44	42	39	36	32	28	17	
KU4-0310 S/T	0.75/0.55	62	60	56	51	46	40	24	
KU4-0311 S/T	1.02/0.75	70	65	62	57	51	44	26	
KU4-0314 S/T	1.02/0.75	86	83	79	72	65	55	33	
KU4-0318 S/T	1.5/1.1	111	107	101	93	83	72	43	
KU4-0321 S/T	1.5/1.1	130	125	118	108	97	84	50	
KU4-0328 S/T	2.0/1.5	172	167	157	144	129	112	67	
KU4-0334 S/T	3.0/2.20	210	202	191	175	157	136	80	
KU4-0340 S/T	3.0/2.20	248	238	225	206	185	160	96	
KU4-0307 S/T	0.50/0.37	44	42	39	36	32	28	17	
KU4-0310 S/T	0.75/0.55	62	60	56	51	46	40	24	
KU4-0311 S/T	1.02/0.75	70	65	62	57	51	44	26	
KU4-0314 S/T	1.02/0.75	86	83	79	72	65	55	33	
KU4-0318 S/T	1.5/1.1	111	107	101	93	83	72	43	
KU4-0321 S/T	1.5/1.1	130	125	118	108	97	84	50	
KU4-0328 S/T	2.0/1.5	172	167	157	144	129	112	67	
KU4-0334 S/T	3.0/2.20	210	202	191	175	157	136	80	
KU4-0340 S/T	3.0/2.20	248	238	225	206	185	160	96	
WINNER 07		PIPE SIZE:32MM							
MODEL	HP/KW	15	30	45	60	75	90	TOTAL HEAD IN METRES	
		TOTAL HEAD IN METRES							
		KU4-0704 S/T	0.50/0.37	28	25	23	20	15	8
KU4-0707 S/T	0.75/0.55	50	44	40	34	26	16		

WINNER 08		PIPE SIZE:32MM					
MODEL	HP/KW	40	60	80	100	TOTAL HEAD IN METRES	
		TOTAL HEAD IN METRES					
		KU4-0807 S/T	1.02/0.75	369	36	32	27
KU4-0810 S/T	1.5/1.1	56	52	46	38		
KU4-0814 S/T	2.0/1.50	78	72	63	51		
KU4-0821 S/T	3.00/2.20	116	107	95	77		
KU4-0828 T	4.00/3.00	155	143	126	105		
KU4-0838 T	5.5/4.1	210	195	173	143		
WINNER 25		PIPE SIZE:50MM					
MODEL	HP/KW	120	170	220	270	320	
		TOTAL HEAD IN METRES					
		KU4-2504 S/T	1.5/1.1	20	17	15	11
KU4-2506 S/T	2.0/1.50	29	26	22	17	11	
KU4-2509 S/T	3.00/2.20	45	39	33	25	16	
KU4-2512 T	4.00/3.00	58	52	44	34	22	
KU4-2516 T	5.5/4.3	77	69	59	45	29	
WINNER 15		PIPE SIZE:50MM					
MODEL	HP/KW	60	90	120	150	180	
		TOTAL HEAD IN METRES					
		KU4-1504 S/T	0.75/0.55	23	21	18	13
KU4-1505 S/T	1.02/0.75	29	26	22	17	10	
KU4-1507 S/T	1.5/1.1	40	37	31	24	14	
KU4-1509 S/T	2.0/1.50	51	47	40	30	18	
KU4-1512 T	3.00/2.20	68	62	52	40	24	
KU4-1514 T	3.00/2.20	80	73	62	47	28	
KU4-1519 T	4.00/3.00	109	99	84	64	38	

Authorised Distributor Perfect Industrial Services
34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)
Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207
E-mail: info@perfectindustrial.com, www.perfectindustrial.com



KIRLOSKAR BROTHERS LTD.

KU4-0709 S/T	1.02/0.75	60	57	52	44	33	22
KU4-0713 S/T	1.5/1.1	88	82	74	64	48	29
KU4-0718 S/T	2.0/1.50	120	113	103	88	66	40
KU4-0727 S/T	3.00/2.20	179	170	155	132	100	60
KU4-0736 T	4.00/3.00	129	227	208	176	133	83

KU4-1524 T	5.5/4.3	137	125	106	81	48
WINNER 25	PIPE SIZE:50MM					
		120	170	220	270	320
MODEL	HP/KW	TOTAL HEAD IN METRES				
KU4-2504 S/T	1.5/1.1	20	17	15	11	7
KU4-2506 S/T	2.0/1.50	29	26	22	17	11
KU4-2509 S/T	3.00/2.20	45	39	33	25	16
KU4-2512 T	4.00/3.00	58	52	44	34	22
KU4-2516 T	5.5/4.3	77	69	59	45	29

Authorised Distributor Perfect Industrial Services
34&5, CENTRE POINT, OPP PIPARIA POLICE STN, Silvassa-396230 (DNH)
Tel.: 0260-2633225, Fax: 0260-2632518, Cell: 9375122207/9824122207
E-mail: info@perfectindustrial.com, www.perfectindustrial.com